

# Armstrong

PATTERN BOOK SUPPLEMENT

JUNE 1956

Digitized by



ASSOCIATION  
FOR  
PRESERVATION  
TECHNOLOGY,  
INTERNATIONAL  
[www.apti.org](http://www.apti.org)

BUILDING  
TECHNOLOGY  
HERITAGE  
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Alan O'Bright

37866

15-  
26091

# Armstrong

## ADDITIONS TO THE 1956 LINE

### Linoleum

Royelle® .....	2
Marbelle® .....	3
Spatter® .....	5
Craftline® .....	7
Embossed .....	9
Town House* .....	13
Newray® .....	15

### Resilient Tiles

Linoleum Tile .....	6
Imperial Custom Corlon Tile ...	29
Asphalt Tile .....	30

### Plastics

Granette® Corlon .....	19
Terrazzo* Corlon® .....	23
Terrazzo Corlon, Hydrocord*	
Back .....	24
Decoresq® Corlon, Hydrocord	
Back .....	24
Mosaic* Corlon, Armofelt*	
Back .....	25
Mosaic Corlon, Cushion-Eze*	
Back** .....	25
Imperial* Custom Corlon Tile ..	29

### Felt-Base

Quaker® Rugs .....	31
Quaker Floor Covering .....	40

### Sundries

No. S-235 Hydrocord Cement ..	24
Moderntrud* Rubber Runner ..	48
* Trade-Mark      ** Patent Pending	





**No. 1522**  
Standard Gauge

Approximately 1/3 actual size




**No. 1523**  
Standard Gauge

Approximately 1/3 actual size

**Armstrong**  
**ROYELLE LINOLEUM**


24" and 2 yards wide





Approximately 1/3 actual size

**No. 04**  
Standard and Light Gauge Only



Approximately 1/3 actual size

**No. 048**  
Standard and Light Gauge Only

**Armstrong**  
**MARBELLE LINOLEUM**

2 yards wide





**No. 049**  
Standard Gauge Only

Approximately 1/3 actual size




**No. 050**  
Standard Gauge Only

Approximately 1/3 actual size

**Armstrong**  
**MARBELLE LINOLEUM**

2 yards wide





Approximately 1/4 actual size

**Sevilla Sand No. 5025**  
Standard Gauge




Approximately 1/4 actual size

**Madrigal Taupe No. 5026**  
Standard Gauge

**Armstrong**  
**SPATTER LINOLEUM**

2 yards wide





**Almeria Turquoise No. 5027**  
Standard Gauge

Approximately 1/4 actual size



Royelle Linoleum Tile No. 1522




Royelle Linoleum Tile No. 1523

**Armstrong**  
**LINOLEUM TILE**

Standard Gauge 9" x 9"

For suspended floors only






Approximately 1/4 actual size

**Armstrong**  
**CRAFTLINE INLAID LINOLEUM**  
**No. 5140**  
**Standard Gauge**  
2 yards wide





Approximately 1/4 actual size

**Armstrong**


**CRAFTLINE INLAID LINOLEUM**

**No. 5141**

**Standard Gauge**

2 yards wide






Approximately 1/4 actual size

**Armstrong**  
**EMBOSSD INLAID LINOLEUM**  
**No. 5500**  
**Standard Gauge**  
2 yards wide





Approximately 1/4 actual size

**Armstrong**  
**EMBOSSED INLAID LINOLEUM**  
**No. 5501**  
**Standard Gauge**  
2 yards wide





Approximately 1/4 actual size

**Armstrong**  
**EMBOSSD INLAID LINOLEUM**  
**No. 5510**  
**Standard Gauge**  
2 yards wide





Approximately 1/4 actual size

**Armstrong**  
**EMBOSSSED INLAID LINOLEUM**  
**No. 5511**  
**Standard Gauge**  
2 yards wide





Approximately 1/4 actual size

The Newport

**Armstrong**  
**TOWN HOUSE INLAID LINOLEUM**  
**No. 1723**  
**Standard Gauge**  
2 yards wide





Approximately 1/4 actual size

**Armstrong**  
**TOWN HOUSE INLAID LINOLEUM**  
**No. 1724**  
**Standard Gauge**  
2 yards wide

The Newport






Approximately 1/4 actual size

**Armstrong**  
**NEWRAY INLAID LINOLEUM**  
**No. 1870**  
**Light Gauge**  
2 yards wide





Approximately 1/4 actual size

**Armstrong**


**NEWRAY INLAID LINOLEUM**

**No. 1871**

**Light Gauge**

2 yards wide





Approximately 1/4 actual size

**Armstrong**  
**NEWRAY INLAID LINOLEUM**  
**No. 1872**  
**Light Gauge**  
2 yards wide





Approximately 1/4 actual size

**Armstrong**

**NEWRAY INLAID LINOLEUM**

**No. 1873**

**Light Gauge**

2 yards wide





Approximately 1/2 actual size

**No. 6180**




Approximately 1/2 actual size

**No. 6181**

**Armstrong**  
**GRANETTE CORLON**


2 yards wide





**No. 6182**

Approximately 1/2 actual size



**No. 6183**

Approximately 1/2 actual size

**Armstrong**  
**GRANETTE CORLON**


2 yards wide





Approximately 1/2 actual size

**No. 6184**



Approximately 1/2 actual size

**No. 6185**

**Armstrong**  
**GRANETTE CORLON**


2 yards wide





**No. 6186**

Approximately 1/2 actual size




**No. 6187**

Approximately 1/2 actual size

**Armstrong**  
**GRANETTE CORLON**

2 yards wide





Approximately 1/2 actual size

**No. 6213**



Approximately 1/2 actual size

**No. 6214**

**Armstrong**  
**TERRAZZO CORLON**

2 yards wide




# Armstrong CORLON

## with Hydrocord Back


Hydrocord Back, a development of Armstrong research, now permits the installation of sheet plastic Corlon over grade-level concrete subfloors. Because the materials which formulate this new backing are not affected by alkaline moisture, Corlon with Hydrocord Back can be safely installed in any floor area where the concrete subfloor is in direct contact with the ground. Hydrocord Back, white in color, is flexible and easy to handle.

Armstrong Corlon with Hydrocord Back is available in the Terrazzo and Decoresq patterns indicated on this page. See pages 125 to 132 of the 1956 Armstrong Pattern Book and page 23 of this Supplement for regular size color plates. The resilience and indentation resistance of Corlon with this new backing are the same as for sheet Corlon with conventional Armofelt Back.

The patterns of Armstrong Terrazzo and Decoresq Corlon shown here are also available with the Armofelt Back for suspended subfloor installation as shown in the 1956 Armstrong Pattern Book.



**Terrazzo No. 86203**




**Terrazzo No. 86205**




**Terrazzo No. 86208**




**Terrazzo No. 86213**




**Terrazzo No. 86200**



**Terrazzo No. 86214**




**Terrazzo No. 86201**



**Decoresq No. 86300**



**Terrazzo No. 86202**



**Decoresq No. 86301**



## NO. S-235 HYDROCORD CEMENT

No. S-235 Hydrocord Cement has been developed specifically for the installation of Hydrocord backed sheet Corlon over grade-level concrete subfloors. It spreads easily with Armstrong No. S-901 Notched Spreader and is simple to use. No. S-235 Hydrocord Cement is cream colored when spread. It changes to a tan color when set. One gallon covers approximately 14 to 17 square yards.

No lining felt is required when installing Corlon with Hydrocord Back over concrete subfloors with Hydrocord Cement.



## **Armstrong MOSAIC CORLON with Cushion-Eze Back**

(Also available with Armofelt Back)


Mosaic Corlon is another beautiful flooring effect in the Armstrong Corlon line. Its striking design is adapted from the artistic effects of classic hand-crafted mosaic tile floors. Small squares of deep, rich color are scattered in profusion over a subtle textured background to give distinctive over-all effects. While classic in design, Mosaic Corlon offers many decorating opportunities as it lends itself well to today's building designs.

In addition to its distinctive design, Armstrong Mosaic Corlon features the new Cushion-Eze Back, another product of Armstrong research. Cushion-Eze is a layer of foam applied to the back of the material which gives the Corlon floor the underfoot comfort of "soft-surface" floor covering. This added comfort combined with the service and maintenance advantages of plastic Corlon makes it a truly luxurious resilient floor.

Cushion-Eze makes "quiet" Corlon still quieter underfoot. Every footstep is deadened by the foam cushion. This new backing permits the wearing surface to "give" underfoot making it seem like walking on air. This "cushioning" action also helps prevent dirt and grit from grinding into the surface to a marked degree—further simplifying cleaning.

Mosaic Corlon with the Cushion-Eze Back can be installed over wood subfloors without the use of lining felt. No special adhesives are necessary. A single layer of regular S-128 Paste is all that is needed. While the over-all thickness is approximately heavy gauge, Mosaic Corlon with Cushion-Eze Back is easy to handle and install.

*Mosaic Corlon is also available with the conventional Armofelt Back as indicated by the regular pattern number on the left side of the color plates.*



Approximately 1/2 actual size


**No. 6500**  
with Armofelt Back

**No. 96500**  
with Cushion-Eze Back

**Armstrong**  
**MOSAIC CORLON**

2 yards wide





**No. 6501**  
with Armofelt Back

**No. 96501**  
with Cushion-Eze Back

Approximately 1/2 actual size



**No. 6502**  
with Armofelt Back

**No. 96502**  
with Cushion-Eze Back

Approximately 1/2 actual size

**Armstrong**  
**MOSAIC CORLON**

2 yards wide






Approximately 1/2 actual size

**No. 6503**  
with Armofelt Back

**No. 96503**  
with Cushion-Eze Back



Approximately 1/2 actual size


**No. 6504**  
with Armofelt Back

**No. 96504**  
with Cushion-Eze Back

**Armstrong**  
**MOSAIC CORLON**

2 yards wide





**No. 6505**  
with Armofelt Back

**No. 96505**  
with Cushion-Eze Back

Approximately 1/2 actual size



**No. 6506**  
with Armofelt Back

**No. 96506**  
with Cushion-Eze Back

Approximately 1/2 actual size

**Armstrong**  
**MOSAIC CORLON**

2 yards wide






Polar White No. 1400




Onyx Black No. 1401




Bermuda Pink No. 1402



Shell Beige No. 1403




Verdure Green No. 1404



Crystal Gray No. 1405



Rustic Copper No. 1406



Antique Ivory No. 1407

# **Armstrong** **IMPERIAL CUSTOM** **CORLON TILE**

1/8" Gauge

6" x 6", 9" x 9", 12" x 12", 18" x 36"

For suspended, on-grade and below-grade subfloors

The Imperial Series of Custom Corlon Tile offers the ultimate in luxury flooring. It is formulated with the finest vinyl resins and color pigments. Its subtle and unusual graining offers exceptional decorative opportunities. Its rich colors, satin finish, and smooth plate surface give new richness and beauty to floor appearance.

Imperial Custom Corlon has exceptional stability—will not shrink or expand during or after installation. Its colors will not fade or discolor and the material itself is resistant to spilled hot grease, alkalis, foods, and liquids. It also has exceptional resistance to abrasion.

Imperial Custom Corlon Tile may be installed anywhere—over grade-level subfloors, basement areas, suspended floors—even over radiant-heated subfloors. It is available in four tile sizes and in eight patterns.



# Armstrong

## SPATTER ASPHALT TILE

1/8" Gauge Only


9" x 9"

(For suspended, on-grade and  
below-grade subfloors)

This popular multicolor effect in Armstrong Asphalt Tile offers a variety of low-cost, yet colorful floor designs. Highly resistant to the harmful effects of alkaline moisture, Armstrong Spatter Asphalt Tile is ideal for basementless homes, as well as above-grade and below-grade floor areas. The variety of random colors of the Spatter design makes this new styling adaptable to almost any style decorative treatment. Unusual custom floor designs can be created combining Spatter colors or by using Feature Strips. Armstrong Spatter Asphalt Tile can also be used in combination with Standard Armstrong Asphalt Tile.




Gardenia No. D-990




Gray Dawn No. C-991




Onyx Black No. B-992



Sandrift No. C-993




Cordovan No. B-994




Cactus Green No. C-995



Golden Yellow No. D-996




Charcoal No. C-997



Pink No. D-998





Approximately 1/6 actual size

6' x 9'

7 1/2' x 9'

9' x 10 1/2'

9' x 12'

9' x 15'

12' x 12'


12' x 15'

**Armstrong**  
**QUAKER RUG**

Spattertone

**No. 4802**





Approximately 1/6 actual size

**Armstrong**

**QUAKER RUG**

Spattertone

**No. 4803**

6' x 9'

7½' x 9'

9' x 10½'

9' x 12'

9' x 15'

12' x 12'

12' x 15'





Approximately 1/6 actual size

6' x 9'

7 1/2' x 9'

9' x 10 1/2'

9' x 12'

9' x 15'

12' x 12'

12' x 15'

**Armstrong**

**QUAKER RUG**

Numdarette

**No. 4830**





Approximately 1/6 actual size

**Armstrong**

**QUAKER RUG**

Numdarette

**No. 4831**

6' x 9'

7 1/2' x 9'

9' x 12'

12' x 12'

9' x 10 1/2'

9' x 15'

12' x 15'





Approximately 1/6 actual size

6' x 9'

7 1/2' x 9'

9' x 10 1/2'

9' x 12'

9' x 15'


12' x 12'

12' x 15'

**Armstrong**  
QUAKER RUG

Geometrix  
No. 4840





Approximately 1/6 actual size

**Armstrong**

**QUAKER RUG**

Geometrix

No. 4841

6' x 9'

7½' x 9'

9' x 12'

12' x 12'

9' x 10½'

9' x 15'

12' x 15'





Approximately 1/6 actual size

6' x 9'

7½' x 9'

9' x 10½'

9' x 12'

9' x 15'

12' x 12'

12' x 15'

**Armstrong**  
QUAKER RUG

Geometrix

No. 4842





Approximately 1/6 actual size

**Armstrong**

**QUAKER RUG**

Plume Tuft

**No. 4850**

6' x 9'

7 1/2' x 9'

9' x 10 1/2'

9' x 12'

9' x 15'

12' x 12'

12' x 15'





Approximately 1/6 actual size

6' x 9'

7 1/2' x 9'

9' x 10 1/2'

9' x 12'

9' x 15'

12' x 12'

12' x 15'

**Armstrong**

**QUAKER RUG**

Plume Tuft


**No. 4851**





**Spattertone No. 2598**  
2, 3, and 4 yards wide

Approximately 1/4 actual size



**Feather Leaf No. 2645**  
2, 3, and 4 yards wide

Approximately 1/4 actual size

**Armstrong**  
**QUAKER FLOOR COVERING**





Approximately 1/4 actual size

**Plume Tuft No. 2865**

2, 3, and 4 yards wide




Approximately 1/4 actual size

**Plume Tuft No. 2866**

2, 3, and 4 yards wide


**Armstrong**  
QUAKER FLOOR COVERING





**Dash-tex No. 2875**  
2, 3, and 4 yards wide

Approximately 1/4 actual size




**Dash-tex No. 2876**  
2, 3, and 4 yards wide

Approximately 1/4 actual size

**Armstrong**  
**QUAKER FLOOR COVERING**





Approximately 1/4 actual size

**Colorazzo No. 2885**

2, 3, and 4 yards wide



Approximately 1/4 actual size

**Colorazzo No. 2886**

2, 3, and 4 yards wide

**Armstrong**  
QUAKER FLOOR COVERING





**Colorazzo No. 2887**  
2, 3, and 4 yards wide

Approximately 1/4 actual size



**Windswept No. 2895**  
3 and 4 yards wide only

Approximately 1/4 actual size

**Armstrong**  
QUAKER FLOOR COVERING





Approximately 1/4 actual size

**Windswept No. 2896**

3 and 4 yards wide only



Approximately 1/4 actual size

**Tuftone No. 2915**

2, 3, and 4 yards wide

**Armstrong**  
QUAKER FLOOR COVERING





**Tuftone No. 2916**  
2, 3, and 4 yards wide

Approximately 1/4 actual size




**Colorcade No. 2925**  
2, 3, and 4 yards wide

Approximately 1/4 actual size

**Armstrong**  
QUAKER FLOOR COVERING





Approximately 1/4 actual size

**Colorcade No. 2926**

2, 3, and 4 yards wide



Approximately 1/4 actual size

**Colorcade No. 2927**

2, 3, and 4 yards wide

**Armstrong**  
QUAKER FLOOR COVERING



# Armstrong

## MODERNTRED

### RUBBER RUNNER

Armstrong Moderntred is a new design in rubber runner which offers smart styling combined with unusual safety underfoot. It will lie flat on any type of level floor and does not require an adhesive. The ribbed surface affords excellent foot traction even when wet and also reduces the noise of footsteps. Armstrong Moderntred Rubber Runner is made from a high-quality rubber composition. It has a natural flexibility which permits the runner to be rolled, moved, and stored without cracking.


Armstrong Moderntred Rubber Runner is available in 24", 36", and 48" widths and in rolls from 25 to 50 yards long. The Moderntred series is made in the 1/8" thickness only and in seven patterns.



**Moderntred No. 1220**  
Black



**Moderntred No. 1221**  
Brown



**Moderntred No. 1232**  
Gray



**Moderntred No. 1230**  
Red



**Moderntred No. 1240**  
Red and Gray Multicolor



**Moderntred No. 1231**  
Green



**Moderntred No. 1241**  
Green Multicolor







